

THE QUAKE CLAW 2.0 SLING WITH SWIVELS - CLAW 2.0 SLING WITH SWIVELS BROWN

THE QUAKE CLAW 2.0 SLING WITH SWIVELS The CLAW Sling System is widely known for having the best non-slip pad incorporated into a sling. The extremely durable and odor resistant pad is molded into the sling webbing to allow approximately 1/2" of stretch. This stretch spreads the weight of the firearm across the shoulder area greatly increasing your comfort. The unique gripping action of the non-slip pad keeps the firearm in place on your shoulder, eliminating the tugging, rolling and pulling caused by other slings on the market. The durable CLAW Rifle Sling can be used with rifles, shotguns or any firearm with swivel studs mounted on the buttstock and barrel. Comfortable to use and easy to clean, the CLAW Rifle Sling will not hold water like foam, urethane or leather slings.



Attributes

- Name: CLAW 2.0 SLING WITH SWIVELS BROWN
- Manufacturer: QUAKE
- Product no.: 430113636
- Mfr. No.: 50036-0
- Color: Brown
- Delivery weight: 1.134kg
- Shipping height: 25mm
- Shipping width: 64mm
- Shipping length: 457mm
- UPC: 727703500360

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS](#)

Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS

Introduction

Thank you for choosing THE QUAKE CLAW 2.0 SLING WITH SWIVELS. This safety instruction guide is designed to provide you with essential information about the safe use, installation, and maintenance of your sling. Please read this guide carefully to ensure a safe and enjoyable experience.

General Safety Guidelines

- Ensure that the sling is suitable for the firearm you intend to use.
- Inspect the sling before each use for any signs of wear or damage.
- Always follow local laws and regulations regarding firearm safety and usage.
- Keep the sling and firearm out of reach of children and unauthorized users.
- Use the sling only for its intended purpose and in accordance with the manufacturer's guidelines.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before attaching or detaching the sling.
- Do not exceed the weight limit of the sling as specified by the manufacturer.
- Avoid using the sling in wet or slippery conditions to prevent accidents.
- Be aware of your surroundings when using the sling to ensure safe handling of your firearm.
- If you notice any unusual wear or damage to the sling, discontinue use immediately and replace it.

Instructions for Installation and Usage

1. Installation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Locate the swivel studs on your firearm's buttstock and barrel.
- Attach the sling to the swivel studs by aligning the sling's hooks with the studs and securely fastening them.
- Adjust the length of the sling to fit your body comfortably, allowing for approximately 1/2" of stretch.

2. Usage:

- Once the sling is securely attached, place it over your shoulder, ensuring the nonslip pad is positioned against your shoulder.
- Adjust the sling as needed to achieve a comfortable fit while maintaining control of the firearm.
- When not in use, store the sling in a dry, clean place away from direct sunlight and extreme temperatures.

Disposal Instructions

- When the sling reaches the end of its life or is no longer usable, dispose of it in an environmentally friendly manner.
- Check with local waste management authorities for guidelines on disposing of synthetic materials.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the manufacturer's website or contact their customer support directly.

By following these safety instructions, you can ensure a safe and enjoyable experience with THE QUAKE CLAW 2.0 SLING WITH SWIVELS. Thank you for your attention to safety, and enjoy your product responsibly.