

THE QUAKE CLAW 2.0 SLING WITH SWIVELS - CLAW 2.0 SLING WITH SWIVELS SAND CAMO

THE QUAKE CLAW 2.0 SLING WITH SWIVELS The CLAW Sling System is widely known for having the best non-slip pad incorporated into a sling. The extremely durable and odor resistant pad is molded into the sling webbing to allow approximately 1/2" of stretch. This stretch spreads the weight of the firearm across the shoulder area greatly increasing your comfort. The unique gripping action of the non-slip pad keeps the firearm in place on your shoulder, eliminating the tugging, rolling and pulling caused by other slings on the market. The durable CLAW Rifle Sling can be used with rifles, shotguns or any firearm with swivel studs mounted on the buttstock and barrel. Comfortable to use and easy to clean, the CLAW Rifle Sling will not hold water like foam, urethane or leather slings.



Attributes

- Name: CLAW 2.0 SLING WITH SWIVELS SAND CAMO
- Manufacturer: QUAKE
- Product no.: 430113638
- Mfr. No.: 50038-4
- Color: Sand Camo
- Delivery weight: 1.134kg
- Shipping height: 25mm
- Shipping width: 64mm
- Shipping length: 457mm
- UPC: 727703500384

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS](#)

Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS

Introduction

Thank you for choosing THE QUAKE CLAW 2.0 SLING WITH SWIVELS. This guide provides essential safety instructions and information to ensure the safe and effective use of your sling. Please read and understand these instructions before using the product.

General Safety Guidelines

- Ensure the sling is used only for its intended purpose with firearms that have swivel studs.
- Always check the sling for damage before each use. Do not use if the sling is frayed or compromised.
- Keep the sling out of reach of children and vulnerable individuals.
- Use the sling in a safe environment where firearms are handled responsibly.
- Be aware of your surroundings and ensure that no one is in the line of fire when using the sling.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before attaching or detaching the sling.
- Do not exceed the weight limit of the sling as specified by the manufacturer.
- Avoid using the sling with firearms that do not have proper swivel studs.
- Regularly inspect the nonslip pad for wear and tear to ensure it maintains its gripping action.
- Do not use the sling in wet or slippery conditions as this may affect its performance.
- Ensure that the sling is securely fastened to the firearm before use.

Instructions for Installation and Usage

1. Installation:

- Locate the swivel studs on your firearm, typically found on the buttstock and barrel.
- Attach the sling clips to the swivel studs until you hear a click, indicating that they are secured.
- Adjust the length of the sling to ensure a comfortable fit while maintaining proper firearm control.

2. Usage:

- Place the sling over your shoulder, allowing the firearm to rest securely against your body.
- Ensure the nonslip pad is positioned correctly to provide maximum grip.
- When transitioning between carrying and shooting positions, ensure the sling does not obstruct your movement or line of sight.
- After use, detach the sling from the firearm and store it in a safe, dry place.

Disposal Instructions

- Dispose of the sling in accordance with local regulations for textile waste.
- If the sling is damaged beyond repair, consider recycling the materials if possible.
- Do not dispose of the sling in regular household waste if it can be recycled.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of THE QUAKE CLAW 2.0 SLING WITH SWIVELS, please reach out to the manufacturer or authorized retailers for assistance.