

THE QUAKE CLAW 2.0 SLING WITH SWIVELS - CLAW 2.0 SLING WITH SWIVELS STONE CAMO

THE QUAKE CLAW 2.0 SLING WITH SWIVELS The CLAW Sling System is widely known for having the best non-slip pad incorporated into a sling. The extremely durable and odor resistant pad is molded into the sling webbing to allow approximately 1/2" of stretch. This stretch spreads the weight of the firearm across the shoulder area greatly increasing your comfort. The unique gripping action of the non-slip pad keeps the firearm in place on your shoulder, eliminating the tugging, rolling and pulling caused by other slings on the market. The durable CLAW Rifle Sling can be used with rifles, shotguns or any firearm with swivel studs mounted on the buttstock and barrel. Comfortable to use and easy to clean, the CLAW Rifle Sling will not hold water like foam, urethane or leather slings.



Attributes

- Name: CLAW 2.0 SLING WITH SWIVELS STONE CAMO
- Manufacturer: QUAKE
- Product no.: 430113639
- Mfr. No.: 50039-1
- Color: Stone Camo
- Delivery weight: 0.227kg
- Shipping height: 25mm
- Shipping width: 64mm
- Shipping length: 457mm
- UPC: 727703500391

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS](#)

Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS

Introduction

Thank you for choosing THE QUAKE CLAW 2.0 SLING WITH SWIVELS. This guide provides important safety information and instructions to ensure the safe use of your sling. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure safe use of the sling by following these guidelines:
 - Always inspect the sling before each use for any signs of wear or damage.
 - Do not exceed the weight limit specified for the sling.
 - Keep the sling out of reach of children when not in use.
 - Use the sling only with firearms that have swivel studs mounted on the buttstock and barrel.
 - Do not use the sling for any purpose other than its intended use.

Specific Safety Precautions for Use

- To ensure your safety while using the sling, please adhere to the following precautions:
 - Always ensure that the firearm is unloaded before attaching the sling.
 - When using the sling, maintain a firm grip on the firearm at all times.
 - Be mindful of your surroundings and ensure that the firearm is pointed in a safe direction.
 - Avoid using the sling in wet or slippery conditions, as this may affect grip and control.
 - Regularly check the attachment points of the sling to ensure they are secure.

Instructions for Installation and Usage

- Follow these steps for proper installation and usage of the sling:

1. Installation:

- Locate the swivel studs on your firearm.
- Attach one end of the sling to the rear swivel stud on the buttstock.
- Attach the other end of the sling to the front swivel stud on the barrel.
- Ensure that both ends are securely fastened and that the sling is properly adjusted for comfort.

2. Usage:

- Place the sling over your shoulder, ensuring the firearm rests securely against your body.
- Adjust the length of the sling as necessary to achieve a comfortable fit.
- When transitioning from carry to shooting position, ensure that the firearm is stable and secure.

Disposal Instructions

- When disposing of the sling, please consider the following:
 - Do not dispose of the sling in regular household waste.
 - Check local regulations for proper disposal methods of textile products.
 - If the sling is damaged beyond repair, consider recycling options where available.

Contact Information for Further Support

- For any safety inquiries or additional support regarding THE QUAKE CLAW 2.0 SLING WITH SWIVELS, please refer to the contact information provided with your product packaging.

Conclusion

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with THE QUAKE CLAW 2.0 SLING WITH SWIVELS. Always prioritize safety in all your activities involving firearms. Thank you for your attention to these important safety measures.