

THE QUAKE CLAW 2.0 SLING WITH SWIVELS - CLAW 2.0 SLING WITH SWIVELS MOSSY OAK BOTTOMLAND

THE QUAKE CLAW 2.0 SLING WITH SWIVELS The CLAW Sling System is widely known for having the best non-slip pad incorporated into a sling. The extremely durable and odor resistant pad is molded into the sling webbing to allow approximately 1/2" of stretch. This stretch spreads the weight of the firearm across the shoulder area greatly increasing your comfort. The unique gripping action of the non-slip pad keeps the firearm in place on your shoulder, eliminating the tugging, rolling and pulling caused by other slings on the market. The durable CLAW Rifle Sling can be used with rifles, shotguns or any firearm with swivel studs mounted on the buttstock and barrel. Comfortable to use and easy to clean, the CLAW Rifle Sling will not hold water like foam, urethane or leather slings.



Attributes

- Name: CLAW 2.0 SLING WITH SWIVELS MOSSY OAK BOTTOMLAND
- Manufacturer: QUAKE
- Product no.: 430113641
- Mfr. No.: 50041-4
- Color: Mossy Oak Bottomland
- Delivery weight: 1.134kg
- Shipping height: 25mm
- Shipping width: 64mm
- Shipping length: 457mm
- UPC: 727703500414

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Consumer Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS](#)

Consumer Safety Instruction Guide for THE QUAKE CLAW 2.0 SLING WITH SWIVELS

Introduction

Thank you for choosing THE QUAKE CLAW 2.0 SLING WITH SWIVELS. This guide provides important safety information and instructions to ensure the safe and effective use of your new rifle sling. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Always ensure the firearm is unloaded when attaching or detaching the sling.
- Inspect the sling for any signs of wear or damage before each use.
- Do not exceed the weight limit of the sling as indicated in the product specifications.
- Keep the sling away from children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the swivel studs on your firearm are securely mounted and in good condition.
- Always use the sling in a manner that allows for safe handling of the firearm.
- Avoid using the sling in wet conditions, as moisture can affect the grip and comfort.
- Be cautious of the sling's gripping action; ensure it is properly adjusted to avoid slippage.
- Do not use the sling for purposes other than securing a firearm.

Instructions for Installation and Usage

1. Installation:

- Locate the swivel studs on your firearm.
- Attach one end of the sling to the front swivel stud.
- Attach the other end of the sling to the rear swivel stud.
- Ensure that both attachments are secure before proceeding.

2. Usage:

- Adjust the sling length to fit comfortably over your shoulder.
- Ensure the nonslip pad is positioned correctly on your shoulder for maximum grip.
- When carrying the firearm, maintain a firm grip on the firearm and ensure it is pointed in a safe direction.
- To remove the sling, detach it from the swivel studs in the reverse order of installation.

Disposal Instructions

- Dispose of the sling according to local regulations regarding textile products.
- If the sling is damaged beyond repair, consider recycling the materials where possible.
- Do not dispose of the sling in regular household waste if it can be recycled.

Contact Information for Further Support

For any safety inquiries or additional support, please reach out to the designated EU contact point for product safety inquiries.

Thank you for following these safety instructions. Using THE QUAKE CLAW 2.0 SLING WITH SWIVELS responsibly ensures your safety and enhances your shooting experience.