

AUTO PRIME SHELLHOLDERS - LEE AUTO PRIME SHELLHOLDER #3

[Reloading](#) > [Shellholders & Shellplates](#)

Lee Universal Shell Holders function in the Lee handheld priming tools. Machined to close tolerances for maximum accuracy. Manufactured from hardened steel. View Lee Shellholder Chart



Attributes

- Name: [LEE AUTO PRIME SHELLHOLDER #3](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 749000381
- Mfr. No.: 90203
- Cartridge: 219 Donaldson Wasp, 219 Zipper, 6.5 x 55 mm Swedish Mauser, 7.5 x 55 mm Swiss, 30-30 Winchester, 308 Marlin Express, 32 Winchester Special, 32-40 Winchester, 38-55 Winchester
- Style: Priming Tool
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 94mm
- Shipping length: 127mm
- UPC: 734307902032

Item details

Made in USA

Table of Contents

- Startpage
- AUTO PRIME SHELLHOLDERS LEE AUTO PRIME SHELLHOLDER #3 Safety Instruction Guide
- About Us

AUTO PRIME SHELLHOLDERS LEE AUTO PRIME SHELLHOLDER #3 Safety Instruction Guide

Introduction

Thank you for choosing the AUTO PRIME SHELLHOLDER #3 by Lee Precision. This guide provides important safety information and instructions to ensure the safe use of this product. Please read this manual carefully before using the shellholder.

General Safety Guidelines

- Always use the shellholder in accordance with the manufacturer's instructions.
- Ensure that the shellholder is compatible with your priming tool and the cartridges you intend to use.
- Inspect the shellholder for any damage or wear before each use. Do not use if damaged.
- Keep the shellholder out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use the shellholder only for the cartridges specified: 6.5 x 55 mm Swedish Mauser, 3030 Winchester, 219 Zipper, 32 Winchester Special, 3240 Winchester, 3855 Winchester, 7.5 x 55 mm Swiss, 308 Marlin Express, and 219 Donaldson Wasp.
- Always wear safety glasses when using the priming tool to protect your eyes from potential debris.
- Do not exceed the recommended load specifications for your cartridges.
- Ensure that the work area is clean and free of distractions while using the shellholder.
- Do not attempt to modify the shellholder or use it for any purpose other than intended.

Instructions for Installation and Usage

1. Installation:

- Ensure that your priming tool is clean and free of debris.
- Select the appropriate shellholder for your cartridge.
- Insert the shellholder into the priming tool according to the manufacturer's instructions.
- Ensure that the shellholder is securely attached before use.

2. Usage:

- Place the cartridge into the shellholder, ensuring a proper fit.
- Follow the priming tool's instructions for operation.
- Do not force the cartridge into the shellholder. If it does not fit, verify compatibility.
- After priming, remove the cartridge carefully and store it safely.

Disposal Instructions

- Dispose of the shellholder according to local regulations regarding metal products.
- Do not dispose of the shellholder in general waste if it is damaged or no longer usable.
- Consider recycling the shellholder if possible, as it is made from hardened steel.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the manufacturer's website or contact your local

dealer.

Thank you for prioritizing safety while using the AUTO PRIME SHELLHOLDER #3. Your attention to these guidelines helps ensure a safe and effective reloading experience.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at