

CAM-LOCK PULLER - HORNADY CAM-LOCK BULLET PULLER

[Reloading](#) > [Case Preparation](#) > [Bullet Pullers](#)

The Hornady Cam-Lock Bullet Puller is the nicest collet style puller we have used. The cam feature locks the collet around the bullet and uses your press leverage to pull the bullet. We are really impressed with the quality of this tool and smoothness of operation.



Attributes

- Name: [HORNADY CAM-LOCK BULLET PULLER](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749003707
- Mfr. No.: 050095
- Caliber: Universal
- Delivery weight: 0.227kg
- Shipping height: 36mm
- Shipping width: 36mm
- Shipping length: 185mm
- UPC: 090255500950

Item details

Made in USA

Table of Contents

- Startpage
- Hornady CamLock Bullet Puller Safety Instructions
- About Us

Hornady CamLock Bullet Puller Safety Instructions

Introduction

Thank you for choosing the Hornady CamLock Bullet Puller. This tool is designed to provide a safe and efficient method for removing bullets from cartridges. To ensure safe usage and optimal performance, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the Hornady CamLock Bullet Puller in accordance with the manufacturer's instructions.
- Ensure that the work area is clean, dry, and welllit to prevent accidents.
- Keep the tool out of reach of children and unauthorized users.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, while using this tool.
- Be aware of your surroundings and ensure that no one is in close proximity while using the puller.
- Regularly inspect the tool for any signs of wear or damage before use. Do not use if damaged.

Specific Safety Precautions for Use

- Ensure that the collet is correctly adjusted to fit the bullet size before use. An improper fit may lead to accidents.
- Do not exceed the recommended leverage force when using the puller to avoid tool failure.
- Never attempt to disassemble the tool while it is in use.
- Always release the pressure on the press before removing the bullet from the collet.
- Avoid using the puller with wet or oily hands to prevent slipping and loss of control.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials, including the Hornady CamLock Bullet Puller, a reloading press, and the cartridges you wish to pull.

2. Setting Up the Tool:

- Attach the CamLock Bullet Puller to your reloading press according to the manufacturer's instructions.
- Select the appropriate collet for the bullet caliber you are working with and securely attach it to the puller.

3. Using the Bullet Puller:

- Insert the cartridge into the collet and ensure it is seated properly.
- Engage the cam feature to lock the collet around the bullet securely.
- Apply even pressure on the press handle to pull the bullet out of the cartridge. Do not apply excessive force.
- Once the bullet is removed, release the pressure and carefully remove the cartridge from the collet.

4. After Use:

- Clean the tool after each use to maintain optimal performance.
- Store the Hornady CamLock Bullet Puller in a safe place, away from moisture and direct sunlight.

Disposal Instructions

- Dispose of any used or damaged components of the Hornady CamLock Bullet Puller in accordance with local regulations.
- Do not dispose of the tool in general waste. Check for recycling options in your area.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's contact details included with your product packaging.

By following these safety instructions, you can ensure a safe and effective experience with your Hornady CamLock Bullet Puller. Always prioritize safety and compliance with the EU General Product Safety Regulation (GPSR) while using this product.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz