

CARBIDE PRIMER POCKET UNIFORMERS - PRIMER POCKET UNIFORMER, CARBIDE, LARGE PISTOL

[Reloading](#) > [Case Preparation](#) > [Primer Pocket Tools](#) > [Uniformers](#)

The Sinclair primer pocket uniformers are precision ground from one solid piece of tungsten carbide, so there is no need to worry about changing the depth of cut. These cutters are designed to be used every time you reload. They cut the depth of primer pockets to the correct SAAMI specification and also clean the carbon out of the primer pocket after each firing. Available in 4 sizes: Large Rifle, Small Rifle/Pistol, Large Pistol, and a PPC/BR uniformer.



Attributes

- Name: [PRIMER POCKET UNIFORMER, CARBIDE, LARGE PISTOL](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749003711
- Mfr. No.: SNC480033
- Size: Large Pistol
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 884474176627

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [CARBIDE PRIMER POCKET UNIFORMERS SAFETY INSTRUCTIONS](#)
- [About Us](#)

CARBIDE PRIMER POCKET UNIFORMERS SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the CARBIDE PRIMER POCKET UNIFORMERS. This product is designed to enhance your reloading experience by ensuring precision and consistency in primer pocket preparation. To ensure safe use and compliance with the EU General Product Safety Regulation (GPSR), please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the product as intended, following the manufacturer's guidelines.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- Do not use the product if it appears damaged or is not functioning correctly.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when using the uniformers.
- Ensure that the work area is clean and free from obstructions to prevent accidents.
- Do not exceed the recommended cutting depth to avoid damage to the uniformer and ensure safety.
- Use the uniformer only on primer pockets that are compatible with the specified size (Large Pistol).
- Avoid direct contact with sharp edges and cutting surfaces.
- Do not modify the product in any way, as this can create hazards.
- Store the product in a safe, dry place when not in use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before beginning the reloading process.
- Ensure that the uniformer is clean and free from debris.

2. Installation:

- Attach the uniformer securely to a compatible reloading press or tool.
- Ensure that it is properly aligned according to the manufacturer's instructions.

3. Usage:

- Insert the case with the spent primer into the uniformer.
- Apply steady pressure to cut the primer pocket to the correct depth.
- After cutting, remove the case and inspect the primer pocket for cleanliness.
- Repeat the process for each case as needed.

4. PostUsage:

- Clean the uniformer after each use to maintain its performance.
- Store the uniformer in its designated place to prevent damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the CARBIDE PRIMER POCKET UNIFORMERS, please refer to the contact details provided with your product packaging or visit the manufacturer's website.

Thank you for your attention to these safety instructions. By following these guidelines, you can help ensure a safe and effective reloading experience.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at