


# INTERLOCK 270 CALIBER (0.277") SST BULLETS - SST® 6.8MM (0.277") 140GR POLYMER TIP BOAT TAIL 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Hornady SST Bullets feature a streamlined profile for ultra-flat trajectories. Polymer tip allows for rapid expansion and maximum energy transfer. Match-grade jacket delivers surgical accuracy. Heavy construction with InterLock feature delivers deep penetration every time.



## Attributes

- Name: [SST® 6.8MM \(0.277"\) 140GR POLYMER TIP BOAT TAIL 100/BOX](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749004016
- Mfr. No.: 27352
- Ballistic Coefficient (G1): 0.495
- Brand Style: InterLock
- Bullet Style: Super Shock Tip (SST)
- Caliber: 270 Caliber
- Diameter (Breech): 0.277
- Diameter (in): 0.277
- Grain: 140
- Sectional Density: 0.261
- Quantity: 100
- Delivery weight: 0.975kg
- Shipping height: 56mm
- Shipping width: 66mm
- Shipping length: 107mm
- UPC: 090255273526

## Item details

Made in USA

US export classification: 0A505.x

# Table of Contents

- Startpage
- INTERLOCK 270 Caliber (0.277") SST Bullets Safety Instruction Guide
- About Us

# INTERLOCK 270 Caliber (0.277") SST Bullets

## Safety Instruction Guide

### Introduction

Thank you for choosing Hornady INTERLOCK 270 Caliber (0.277") SST Bullets. This guide provides essential safety instructions to ensure the safe use of this product. Please read through the entire guide before handling or using the bullets.

### General Safety Guidelines

- Always treat firearms and ammunition as if they are loaded.
- Store bullets in a cool, dry place, away from direct sunlight and moisture.
- Keep bullets out of reach of children and unauthorized persons.
- Follow all local laws and regulations regarding the use and storage of ammunition.
- Inspect bullets for any damage or defects before use.
- Use appropriate safety gear, including eye and ear protection, when handling or shooting.

### Specific Safety Precautions for Use

- Ensure that your firearm is compatible with 270 Caliber (0.277") ammunition.
- Always check the barrel for obstructions before loading.
- Use only the recommended powder charges and reloading data for your specific application.
- Avoid pointing the firearm at anything you do not intend to shoot.
- Never shoot at hard surfaces or water, as bullets can ricochet.
- Be aware of your surroundings and ensure a safe shooting area.

### Instructions for Installation and Usage

#### • Loading Bullets:

- Follow the manufacturer's instructions for loading bullets into your firearm.
- Ensure that the bullet is seated correctly in the cartridge case.

#### • Shooting:

- Always use a stable shooting position.
- Keep your finger off the trigger until you are ready to shoot.
- Aim carefully and ensure your target is clear of any obstructions.

#### • After Shooting:

- Always treat your firearm as if it is loaded until you have verified it is not.
- Clean your firearm according to the manufacturer's instructions after use.
- Dispose of spent casings and any unused bullets responsibly.

### Disposal Instructions

- Dispose of any unused or damaged bullets in accordance with local regulations.
- Do not dispose of bullets in regular trash; contact local authorities for proper disposal methods.
- Ensure that spent casings are collected and disposed of safely.

## Contact Information for Further Support

For any questions or concerns regarding the safety and use of Hornady INTERLOCK 270 Caliber (0.277") SST Bullets, please refer to the EU contact point provided by the manufacturer or consult local authorities for assistance.

By following these guidelines, you can ensure a safer experience with your Hornady INTERLOCK 270 Caliber (0.277") SST Bullets. Always prioritize safety and be informed about best practices in handling and using ammunition. Thank you for your attention to these important safety instructions.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)