

COMPETITION BUSHING NECK DIES - REDDING COMPETITION BUSHING NECK DIE 222 REM

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

Similar in design concept to Reddings Competition Seating Die, the cartridge case is completely supported and aligned with the sizing bushing before the sizing process begins. As the sizing process starts, the cartridge case remains supported in the tightly chambered, sliding sleeve as it moves upward while the resizing bushing self-centers on the case neck. The decapping rod is maintained in precise alignment by using the internal parts of the die as a linear support much like that of a firing pin. Meanwhile, the micrometer adjustment of the bushing position delivers precise control to the desired amount of neck length to be sized. These dies were designed for use by Competition Shooters who have meticulously prepared their cartridge cases and do not wish to use a sizing button, however, carbide size button kits are available separately. Bushings and shellholders sold separately



Attributes

- Name: [REDDING COMPETITION BUSHING NECK DIE 222 REM](#)
- Manufacturer: [REDDING](#)
- Product no.: 749007436
- Mfr. No.: 56109
- Cartridge: 222 Remington
- Die Style: Neck Die
- Delivery weight: 0.386kg
- Shipping height: 43mm
- Shipping width: 112mm
- Shipping length: 152mm
- UPC: 611760561092

Item details

Made in USA

Table of Contents

- Startpage
- Competition Bushing Neck Dies Safety Instruction Guide
- About Us

Competition Bushing Neck Dies Safety Instruction Guide

Introduction

Thank you for choosing the Redding Competition Bushing Neck Die for your reloading needs. This guide provides essential safety information and instructions to ensure the safe and effective use of this product. Please read the entire guide carefully before using the die.

General Safety Guidelines

- Always follow the manufacturer's instructions for use and maintenance.
- Ensure that the die is used in a wellventilated area to avoid inhaling any dust or particles.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when handling reloading components.
- Keep the die and all reloading materials out of reach of children and unauthorized users.
- Regularly inspect the die for any signs of wear or damage before each use.
- Do not exceed the recommended loads or specifications provided by the manufacturer.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure the cartridge case is fully supported and aligned with the sizing bushing before starting the resizing process.
- Always verify the correct sizing bushing is installed for the specific cartridge being reloaded.
- Do not attempt to resize a case that is damaged or excessively worn.
- Keep hands and fingers clear of moving parts during operation to prevent injury.
- If using carbide size button kits, ensure they are compatible with the die and properly installed.
- Avoid using excessive force when operating the die; let the die do the work to prevent damage.

Instructions for Installation and Usage

1. Installation:

- Carefully remove the die from its packaging.
- Install the die into your reloading press according to the press manufacturer's instructions.
- Adjust the die to the desired position, ensuring it is securely tightened.

2. Preparation:

- Select the appropriate sizing bushing for the cartridge case you will be using (222 Remington).
- Make sure the cartridge cases are clean and free of debris.

3. Resizing Process:

- Insert the cartridge case into the die, ensuring it is fully supported.
- Begin the resizing process by operating the press handle smoothly.
- As the cartridge case moves upward, the resizing bushing will selfcenter on the case neck.
- Monitor the process to ensure the cartridge case remains aligned and supported.

4. Decapping:

- The decapping rod will maintain precise alignment during the resizing process.

- Ensure that the decapping rod is functioning correctly and is not obstructed.

5. Adjustment:

- Use the micrometer adjustment to set the desired neck length for sizing.
- Make small adjustments as needed, checking frequently to ensure accuracy.

6. Completion:

- Once the resizing process is complete, carefully remove the cartridge case from the die.
- Inspect the resized case for any defects or issues before proceeding with further reloading steps.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Recycle packaging materials where possible.
- Do not dispose of reloading materials in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the Redding Competition Bushing Neck Die, please refer to the manufacturer's website or customer service resources for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk