

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION LEE 2 CAVITY RIFLE MOLD, C338-220-1R .338 220GR RN

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.

NO IMAGE
AVAILABLE

Attributes

- Name: [LEE PRECISION LEE 2 CAVITY RIFLE MOLD, C338-220-1R .338 220GR RN](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 749009991
- Mfr. No.: 90372
- Bullet Weight (Grains): 220
- Caliber: 338 Caliber
- Cavities: -
- Diameter (in): 0.338
- Delivery weight: 0.416kg
- Shipping height: 51mm
- Shipping width: 64mm
- Shipping length: 267mm
- UPC: 734307903725

Item details

Made in USA
US export classification: 0A505.x

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Rifle Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Rifle Bullet Molds by Lee Precision. This guide provides essential safety information to ensure the safe use of your product. Please read this guide carefully before using the rifle molds to understand the potential hazards and how to mitigate them.

General Safety Guidelines

- Always follow the manufacturer's instructions for safe use.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any damage before use.
- Use only in a wellventilated area to avoid inhalation of fumes.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves.
- Do not modify the product in any way, as this may compromise safety.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the mold is securely fastened to the work surface before use.
- Avoid exposure to extreme heat sources that could damage the mold.
- Do not pour molten lead or other materials into the mold unless it is specifically designed for that purpose.
- Allow the mold to cool completely before handling to prevent burns.
- Be cautious of sharp edges on the mold, which may cause cuts or abrasions.
- If using in combination with other tools or materials, ensure compatibility to avoid hazardous reactions.

Instructions for Installation and Usage

1. Installation:

- Place the mold on a stable, flat surface.
- Secure the mold using clamps or screws to prevent movement during use.
- Ensure that all components, including handles and sprue plates, are correctly attached before proceeding.

2. Usage:

- Preheat the mold according to the manufacturer's recommendations.
- Prepare the lead or other casting material as per safety guidelines.
- Carefully pour the molten material into the mold cavities, avoiding spills.
- Allow the material to cool and solidify before removing the cast bullets.
- Use proper tools to extract the bullets from the mold, ensuring safety.

Disposal Instructions

- Dispose of any unused or waste material in accordance with local regulations.
- Do not dispose of molten lead or other hazardous materials in regular trash.
- Contact local waste management services for guidance on the proper disposal of hazardous materials.

Contact Information for Further Support

For any inquiries or additional support, please contact the manufacturer or consult the product's official website.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your 2 Cavity Rifle Bullet Molds. Always prioritize safety and stay informed about any updates or recalls related to the product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk