COMPETITION BUSHING NECK DIES - COMPETITION BUSHING NECK DIE 26 NOSLER

Similar in design concept to Reddings Competition Seating Die, the cartridge case is completely supported and aligned with the sizing bushing before the sizing process begins. As the sizing process starts, the cartridge case remains supported in the tightly chambered, sliding sleeve as it moves upward while the resizing bushing self-centers on the case neck. The decapping rod is maintained in precise alignment by using the internal parts of the die as a linear support much like that of a firing pin. Meanwhile, the micrometer adjustment of the bushing position delivers precise control to the desired amount of neck length to be sized. These dies were designed for use by Competition Shooters who have meticulously perared their cartridge cases and do not wish to use a sizing button, however, carbide size button kits are available separately. Bushings and shellholders sold separately



Attributes

Name: COMPETITION BUSHING NECK DIE 26 NOSLER

Manufacturer: REDDINGProduct no.: 749015877Mfr. No.: 56261

Cartridge: 26 Nosler
Die Style: Neck Die
Delivery weight: 0.454kg
Shipping height: 41mm
Shipping width: 57mm
Shipping length: 133mm
UPC: 611760562617

Item details

Made in USA

Table of Contents

- Startpage
 English: Safety Instruction Guide for Competition Bushing Neck Die 26 Nosler

Safety Instruction Guide for Competition Bushing Neck Die 26 Nosler

Introduction

Thank you for choosing the Competition Bushing Neck Die 26 Nosler. This product is designed for precision reloading, catering to the needs of competition shooters. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure all tools and equipment are used in accordance with the manufacturer's instructions.
- Always wear appropriate personal protective equipment, such as safety glasses, when reloading.
- Keep the reloading area clean and organized to avoid accidents.
- Store the die and associated components in a safe place, out of reach of children and pets.
- Regularly check for wear and tear on the die and replace it if necessary.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Handle all reloading components with care to prevent accidents.
- Ensure that the cartridge case is properly aligned with the sizing bushing to avoid damage.
- Do not exceed the maximum load recommendations for your chosen powder and bullet combination.
- Avoid using the die if it shows signs of damage or malfunction.
- Make sure to follow local laws and regulations regarding reloading and ammunition.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is securely mounted and stable.
- Insert the Competition Bushing Neck Die into the reloading press following the manufacturer's instructions.
- Adjust the die to the desired height for the cartridge case being used.

2. Usage:

- Place the cartridge case into the sliding sleeve of the die.
- Slowly raise the handle of the reloading press to begin the sizing process.
- Monitor the alignment of the cartridge case to ensure it is properly supported.
- Use the micrometer adjustment to set the desired neck length to be sized.
- After resizing, remove the cartridge case from the die and inspect it for proper sizing.

Disposal Instructions

- Dispose of any damaged or worn components responsibly, following local waste disposal regulations.
- Do not throw away unused or expired reloading materials in regular trash. Contact local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of the Competition Bushing Neck Die, please refer to the manufacturer's website or contact their customer service department for assistance.

By following these safety instructions, you can ensure a safe and successful reloading experience with your Competition Bushing Neck Die 26 Nosler. Thank you for prioritizing safety in your reloading practices.