

MEC LEAD CHARGE BARS FOR SINGLE STAGE PRESS - MEC RELOADING 1-3/16OZ SINGLE STAGE LEAD SHOT CHARGE BAR

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

The MEC Charge Bars allow you to adjust your shot charge and enable you to create the load you desire. Interchanges with the charge bar which is included with your reloading press. Available in both lead and steel styles for single stage and progressive presses.



Attributes

- Name: [MEC RELOADING 1-3/16OZ SINGLE STAGE LEAD SHOT CHARGE BAR](#)
- Manufacturer: [MEC RELOADING](#)
- Product no.: 749019405
- Mfr. No.: 3021316
- Size: 1-3/16 oz
- Delivery weight: 0.243kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 165mm
- UPC: 098489013512

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MEC Lead Charge Bars for Single Stage Press Safety Instruction Guide](#)
- [About Us](#)

MEC Lead Charge Bars for Single Stage Press

Safety Instruction Guide

Introduction

Thank you for choosing the MEC Lead Charge Bars for your reloading needs. These charge bars allow you to adjust your shot charge, enabling you to create the load you desire. This safety instruction guide provides essential information to ensure safe and effective use of the product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure safe use of the MEC Lead Charge Bars by following these guidelines:
 - Always read the product manual before use.
 - Keep the product out of reach of children and vulnerable individuals.
 - Inspect the charge bar before each use to ensure it is free from damage.
 - Do not use the product for purposes other than intended.
 - Follow all local laws and regulations regarding reloading and ammunition.

Specific Safety Precautions for Use

- When using the MEC Lead Charge Bars, please observe the following precautions:
 - Wear appropriate safety gear, such as safety glasses and gloves, to protect against potential hazards.
 - Ensure that the reloading press is set up on a stable surface to prevent tipping.
 - Do not exceed the maximum charge weight specified for your specific application.
 - Avoid distractions while using the reloading press and charge bar.
 - Do not attempt to modify the charge bar or use it if you notice any defects.

Instructions for Installation and Usage

- Follow these steps for proper installation and usage of the MEC Lead Charge Bars:

1. Installation:

- Disconnect the reloading press from the power source if applicable.
- Remove the existing charge bar from the reloading press.
- Align the MEC Lead Charge Bar with the mounting bracket on the press.
- Secure the charge bar in place according to the manufacturer's instructions.

2. Usage:

- Adjust the charge bar to your desired shot charge weight.
- Ensure that all components of the reloading press are securely fastened before use.
- Load the appropriate materials into the reloading press as per your specifications.
- Operate the press according to the manufacturer's instructions, maintaining focus and caution throughout the process.

Disposal Instructions

- Dispose of the MEC Lead Charge Bars responsibly:
 - Follow local regulations for the disposal of metal and plastic components.

- Do not dispose of the charge bars in regular household waste.
- Consider recycling options available in your area for metal and plastic materials.

Contact Information for Further Support

For any inquiries regarding safety, usage, or support for the MEC Lead Charge Bars, please refer to the contact information provided by the manufacturer. It is essential to have access to assistance for any safety concerns or product-related questions.

Thank you for prioritizing safety while using the MEC Lead Charge Bars. Your adherence to these guidelines will contribute to a safe and effective reloading experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk