

MEC POWDER BUSHINGS - MEC RELOADING #39A POWDER BUSHING

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

We stock a variety of the MEC powder bushings. Each bushing holds a unique volume enabling you to adjust the powder load for your rounds. It is always recommended to use a scale to check powder weights for accuracy. We offer individual bushings in #7 thru #13 and #16 thru #38. Please refer to the MEC website for powder charts that will give you a recommended bushing and start point for your specific powder at www.mcreloaders.com



Attributes

- Name: [MEC RELOADING #39A POWDER BUSHING](#)
- Manufacturer: [MEC RELOADING](#)
- Product no.: 749019458
- Mfr. No.: 5039A
- Size: -
- Delivery weight: 0.007kg
- Shipping height: 19mm
- Shipping width: 114mm
- Shipping length: 186mm
- UPC: 098489017350

Item details

Made in USA

Table of Contents

- Startpage
- MEC Powder Bushings Safety Instruction Guide
- About Us

MEC Powder Bushings Safety Instruction Guide

Introduction

Thank you for choosing the MEC Powder Bushings for your reloading needs. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this guide thoroughly before using the MEC Powder Bushings.

General Safety Guidelines

- Ensure safe use of the MEC Powder Bushings by following these guidelines:
 - Always handle powder bushings with care to avoid spills and accidents.
 - Keep powder bushings out of reach of children and vulnerable individuals.
 - Use the product only for its intended purpose as specified in this guide.
 - Regularly check for any signs of damage or wear on the bushings before use.
 - Store powder bushings in a cool, dry place away from direct sunlight and heat sources.

Specific Safety Precautions for Use

- When using MEC Powder Bushings, please observe the following precautions:
 - Always use a reliable scale to measure powder weights for accuracy.
 - Do not exceed the recommended powder load for your specific bushing.
 - Avoid mixing different types of powders unless specified by the manufacturer.
 - Wear appropriate safety gear, including safety glasses and gloves, when handling powders.
 - In case of an accidental spill, follow proper cleanup procedures to avoid inhalation or contact with skin.

Instructions for Installation and Usage

- To ensure proper installation and usage of the MEC Powder Bushings, follow these steps:

1. Installation:

- Select the appropriate bushing for your desired powder load.
- Ensure that the bushing fits securely in your reloading press.
- Check for any obstructions or debris in the reloading press before installation.

2. Usage:

- Set your scale to zero before adding powder.
- Carefully pour the powder into the bushing, ensuring not to overfill.
- Use the scale to verify the weight of the powder dispensed.
- Adjust the bushing as necessary to achieve the desired powder load.
- After use, clean the bushing and store it properly.

Disposal Instructions

- Proper disposal of MEC Powder Bushings is important for safety and environmental protection:
 - Dispose of any damaged or worn bushings in accordance with local waste disposal regulations.
 - Do not throw bushings in regular trash if they contain remnants of powder.
 - Contact local waste management authorities for guidance on safe disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MEC Powder Bushings, please refer to the official MEC website or contact your local retailer for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective reloading experience with MEC Powder Bushings. Always prioritize safety and report any unsafe products or incidents to the appropriate authorities. Thank you for your attention to safety and for choosing MEC products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk