

MEC POWDER BUSHINGS - MEC RELOADING #41A POWDER BUSHING

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

We stock a variety of the MEC powder bushings. Each bushing holds a unique volume enabling you to adjust the powder load for your rounds. It is always recommended to use a scale to check powder weights for accuracy. We offer individual bushings in #7 thru #13 and #16 thru #38. Please refer to the MEC website for powder charts that will give you a recommended bushing and start point for your specific powder at www.mcreloaders.com



Attributes

- Name: [MEC RELOADING #41A POWDER BUSHING](#)
- Manufacturer: [MEC RELOADING](#)
- Product no.: 749019462
- Mfr. No.: 5041A
- Size: -
- Delivery weight: 0.007kg
- Shipping height: 19mm
- Shipping width: 114mm
- Shipping length: 186mm
- UPC: 098489014151

Item details

Made in USA

Table of Contents

- Startpage
- MEC Powder Bushings Safety Instruction Guide
- About Us

MEC Powder Bushings Safety Instruction Guide

Introduction

Thank you for choosing the MEC Powder Bushings, specifically the MEC Reloading #41A Powder Bushing. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation of your product. Please read this guide carefully before using the powder bushings.

General Safety Guidelines

- Ensure that all products are used in accordance with the manufacturer's instructions.
- Always check for visible damage before use. Do not use if damaged.
- Keep powder bushings away from children and pets.
- Use a scale to accurately measure powder weights to avoid excessive or insufficient loading.
- Be aware of the specific powder type you are using and refer to the corresponding powder charts for recommended bushings.
- Store powder bushings in a cool, dry place away from direct sunlight and moisture.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including safety glasses, when handling powder and reloading equipment.
- Do not exceed the recommended powder load for your specific round.
- Avoid using powder bushings in a manner not intended by the manufacturer.
- Ensure that the reloading area is wellventilated to prevent inhalation of powder dust.
- Do not eat, drink, or smoke while handling powders or reloading equipment.
- Follow all local laws and regulations regarding the handling and storage of reloading materials.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading press is powered off and unplugged before installing the powder bushing.
- Select the appropriate bushing based on your powder chart.
- Insert the bushing securely into the designated slot of your MEC reloading press.
- Doublecheck that the bushing is properly seated and locked in place.

2. Usage:

- Set the scale to zero before measuring powder.
- Pour the desired amount of powder into the bushing.
- Use the press to dispense the powder into your casing.
- After dispensing, always check the weight of the powder to ensure it meets specifications.
- If adjustments are needed, refer to your powder chart for guidance on selecting a different bushing.

Disposal Instructions

- Dispose of any unused powder according to local regulations.
- Do not dispose of powder bushings in regular household waste.
- Contact local waste management authorities for guidance on the proper disposal of reloading materials and equipment.

Contact Information for Further Support

For further support or inquiries regarding the MEC Powder Bushings, please refer to the official MEC Reloading website or contact your local dealer for assistance.

By following these guidelines, you can ensure a safe and effective reloading experience with your MEC Powder Bushings. Thank you for your attention to safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk