

# MEC POWDER BUSHINGS - MEC RELOADING #43A POWDER BUSHING

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

We stock a variety of the MEC powder bushings. Each bushing holds a unique volume enabling you to adjust the powder load for your rounds. It is always recommended to use a scale to check powder weights for accuracy. We offer individual bushings in #7 thru #13 and #16 thru #38. Please refer to the MEC website for powder charts that will give you a recommended bushing and start point for your specific powder at [www.mcreloaders.com](http://www.mcreloaders.com)



## Attributes

- Name: [MEC RELOADING #43A POWDER BUSHING](#)
- Manufacturer: [MEC RELOADING](#)
- Product no.: 749019466
- Mfr. No.: 5043A
- Delivery weight: 0.005kg
- Shipping height: 19mm
- Shipping width: 114mm
- Shipping length: 186mm
- UPC: 098489011754

## Item details

Made in USA

# Table of Contents

- Startpage
- MEC Powder Bushings Safety Instruction Guide
- About Us

# MEC Powder Bushings Safety Instruction Guide

## Introduction

Thank you for choosing MEC Powder Bushings. These bushings are designed to help you achieve precise powder loads for your reloading needs. To ensure safe and effective use, please read this safety instruction guide carefully. It contains important information regarding the safe use, installation, and disposal of the product.

## General Safety Guidelines

- Always use a scale to check powder weights for accuracy.
- Keep powder bushings out of reach of children and vulnerable individuals.
- Inspect the bushing for any damage before use. Do not use if damaged.
- Do not exceed the recommended powder load for your specific reloading setup.
- Store powder bushings in a cool, dry place away from direct sunlight and moisture.
- Follow all local laws and regulations regarding the use and storage of reloading materials.

## Specific Safety Precautions for Use

- Ensure that you are using the correct bushing for the specific powder you are reloading.
- Avoid mixing different powders in the same bushing.
- Use protective eyewear when handling powders and during the reloading process.
- Do not smoke or use open flames near powder or reloading equipment.
- If you experience any adverse reactions or accidents while using the product, seek medical assistance immediately.

## Instructions for Installation and Usage

### 1. Selecting the Right Bushing:

- Choose the appropriate MEC powder bushing based on the powder type and load requirements. Refer to the MEC website for recommended bushings and starting points.

### 2. Installation:

- Ensure that your reloading press is turned off and unplugged.
- Remove any existing bushing from the press.
- Insert the selected MEC powder bushing securely into the designated slot of the reloading press.
- Tighten any screws or fasteners to ensure the bushing is firmly in place.

### 3. Using the Powder Bushing:

- Place the desired powder in the hopper of the reloading press.
- Cycle the press to dispense the powder through the bushing into your cartridge case.
- Weigh the dispensed powder on a scale to verify accuracy. Adjust as needed by selecting a different bushing.

### 4. Cleaning and Maintenance:

- After use, clean the bushing with a soft brush or cloth to remove any powder residue.
- Store the bushing in a protective case or container to prevent damage.

## **Disposal Instructions**

- Dispose of any unused powder and packaging according to local regulations.
- Do not dispose of powder in regular trash or down the drain.
- Contact local waste management services for guidance on the safe disposal of hazardous materials.

## **Contact Information for Further Support**

For any inquiries regarding the safety or usage of MEC Powder Bushings, please refer to the MEC website or contact your local MEC dealer.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)