

QUICK DETACH SCOPE RINGS - TALLEY 1" LOW STAINLESS STEEL RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Fast Steel Levers

Include precision machined, QD levers for fast, easy scope installation and removal, plus button-head screws for optional fixed ring application if desired.



Attributes

- Name: [TALLEY 1" LOW STAINLESS STEEL RINGS](#)
- Manufacturer: [TALLEY](#)
- Product no.: 874000104
- Mfr. No.: SS500003
- Finish: Silver
- Height: .300"
- Scope Tube Diameter: 1"
- Size: Low
- Style: Quick-Release Rings
- Delivery weight: 0.136kg
- UPC: 876430004006

Item details

Made in USA

Table of Contents

- Startpage
- QUICK DETACH SCOPE RINGS TALLEY 1" LOW STAINLESS STEEL RINGS Safety Instruction Guide
- About Us

QUICK DETACH SCOPE RINGS TALLEY 1" LOW STAINLESS STEEL RINGS Safety Instruction Guide

Introduction

Thank you for choosing the Talley Quick Detach Scope Rings. These scope rings are designed to provide a reliable and secure mounting solution for your scope. This guide contains important safety information, installation instructions, and guidelines for proper use to ensure your safety and the longevity of the product.

General Safety Guidelines

- Always inspect the scope rings before use to ensure they are free from damage or defects.
- Ensure that the scope rings are compatible with your specific scope and firearm.
- Use the scope rings only for their intended purpose as specified by the manufacturer.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limit for the scope and accessories mounted on the rings.
- Ensure that the scope is properly secured in the rings before use to prevent it from loosening during operation.
- Avoid using the scope rings in extreme temperatures or environmental conditions that may affect their performance.
- Always follow the manufacturer's instructions for installation and use to minimize risks.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a screwdriver and any other required equipment.
- Ensure that the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Remove the scope rings from the packaging and inspect for any damage.
- Align the rings with the scope base on your firearm.
- Use the precision machined QD levers to securely attach the rings to the base.
- Tighten the buttonhead screws if you are opting for a fixed ring application.

3. Scope Mounting:

- Carefully place your scope into the rings.
- Adjust the scope position for optimal eye relief and sight alignment.
- Ensure that the scope is level and straight before tightening the ring screws.

4. Final Checks:

- Doublecheck all screws and levers to ensure they are tightened securely.
- Perform a function check to ensure that the scope is securely mounted and does not move.

Disposal Instructions

- Dispose of the packaging materials in accordance with local regulations.
- If the product is no longer usable, dispose of it in an environmentally responsible manner, following local waste disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the safety, installation, or usage of your Talley Quick Detach Scope Rings, please refer to the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety instructions. Enjoy the benefits of your new scope rings!

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu