

M16/M4 ENHANCED CARRIER EXTRACTORS - ENHANCED 4-COIL BOLT CARRIER EXTRACTOR CS SPRING

[Rifle Parts](#) > [Bolt Parts](#) > [Extractor Parts](#) > [Extractor Springs](#)

Sprinco's Extractor Springs are made of chrome silicon wirestock that has been heat treated, stress relieved, and cryogenic processing post winding. The springs are also plated with re-micronized molybdenum disulfide formulation. ADVANTAGES: XP 5-Coil spring has a heavier spring load than OEM springs, thus negating the need for a D-Fender™ ring or adding CRANE Viton O-Rings. Use 5-Coil spring with either black extractor spring insert OR CRANE Viton O-Rings, but not both. Enhanced 4-Coil springs maintain an extended duty cycle load of a NEW Mil-Spec spring and is recommended for use in 18"+BBL lengths for those who retrieve their brass for reloading. While the XP 5-Coil spring is totally reliable for all 5.56 BBL lengths, it can be aggressive on case rims in 18"+length BBL rifles, and may be too strong for some bolts with extremely tight bolt face tolerances. Extreme duty cycles provided while maintaining performance specifications. Unaffected by heat up to 750°F. D-Fender™ rings are NOT recommended for use with our 5-Coil extractor springs. Dual spring XP .308 extractor spring sets may be used with or without CRANE O-rings. May be required for use in DPMS G2 Bolts for full-auto use. Plug & play - May easily be the only extractor springs needed for the life of your bolt!!



Attributes

- Name: [ENHANCED 4-COIL BOLT CARRIER EXTRACTOR CS SPRING](#)
- Manufacturer: [SPRINCO USA](#)
- Product no.: 943000051
- Mfr. No.: 25405
- Delivery weight: 0.005kg
- Shipping height: 51mm
- Shipping width: 3mm
- Shipping length: 64mm
- UPC: 657780254057

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [M16/M4 Enhanced Carrier Extractor Safety Instruction Guide](#)
- [About Us](#)

M16/M4 Enhanced Carrier Extractor Safety Instruction Guide

Introduction

Thank you for choosing the M16/M4 Enhanced Carrier Extractors Enhanced 4Coil Bolt Carrier Extractor CS Spring from Sprinco. This product is designed to enhance the performance of your firearm. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always handle firearms and related components with care and respect.
- Ensure that the product is used in accordance with the manufacturer's guidelines.
- Store the product in a safe and secure location, out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage.
- If you suspect that the product is defective or unsafe, do not use it and report it to the appropriate authorities.
- Be aware of your surroundings and ensure that you are in a safe environment when using the product.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to firearm malfunction.
- Using the product with incompatible components may cause damage.
- Overloading the spring may result in excessive wear on the firearm.

• Instructions for Avoiding Hazards:

- Always verify that the product is compatible with your firearm model before use.
- Follow the installation instructions carefully to avoid improper assembly.
- Do not exceed the recommended usage limits for the spring.
- Avoid using DFender™ rings with the 5Coil extractor springs.

• AgeSpecific Warnings:

- This product is intended for use by individuals 18 years or older.
- Keep the product away from children and ensure it is used only by responsible adults.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing extractor spring from the bolt carrier group.
- Insert the new Enhanced 4Coil Bolt Carrier Extractor CS Spring into the extractor.
- If using CRANE Viton ORings, install them as per the manufacturer's instructions.
- Reassemble the bolt carrier group and ensure it operates smoothly.

2. Usage:

- Use the extractor spring as specified for your firearm model.
- Monitor the performance of the spring, especially if used in firearms with 18" or longer barrels.

- If you notice any unusual behavior or signs of wear, discontinue use immediately.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any inquiries regarding the M16/M4 Enhanced Carrier Extractors Enhanced 4Coil Bolt Carrier Extractor CS Spring, please consult the manufacturer's website or customer support resources for assistance.

Thank you for prioritizing safety while using this product. Your adherence to these guidelines helps ensure a safe and enjoyable experience.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at