

# USM-SCOPE MOUNT 30MM - SCHMEISSER USM-Scope Mount 0 MOA 30mm

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

- The ultimate Picatinny quick release and fixed mount that covers all shooter wishes.
- It can be used as quick clamping as well as fixed mounting
- All heights, positions and ring distances can be adjusted by the shooter himself
- The spring-loaded and chamfered Picatinny counter bearing guarantees 100% repeatability even on different Picatinny rails
- The integrated bubble level helps to compensate for tilting
- Also available with 20 MOA forward tilt for long range applications
- Version for 1"/30/34 mm riflescopes

NO IMAGE  
AVAILABLE

## Attributes

- Name: [SCHMEISSER USM-Scope Mount 0 MOA 30mm](#)
- Manufacturer: [SCHMEISSER](#)
- Product no.: EU2004536
- Mfr. No.: 38-USM-0011
- Elevation: 0 MOA
- Material: 6061 T6 Aluminum
- Mount: Picatinny (quick release)
- Scope Tube Diameter: 30mm
- Delivery weight: 0.45kg
- Shipping height: 45mm
- Shipping width: 97mm
- Shipping length: 335mm
- EAN: 4251366500505

# Table of Contents

- [Startpage](#)
- [SCHMEISSER USMSCOPE MOUNT 30MM Safety Instruction Guide](#)
- [About Us](#)

# SCHMEISSER USMSCOPE MOUNT 30MM Safety Instruction Guide

## Introduction

Thank you for choosing the SCHMEISSER USMSCOPE MOUNT 30MM. This guide provides important safety instructions and information to ensure the safe use of your scope mount. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and use.
- Regularly inspect the scope mount for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Always ensure that the mount is securely attached to the firearm before use.
- Do not exceed the weight limit specified by the manufacturer for the scope.
- Avoid using the mount in extreme weather conditions that could affect its performance.
- Be cautious when adjusting the mount to prevent pinching or injury.
- Use the integrated bubble level to ensure the mount is correctly aligned to avoid misalignment during shooting.

## Instructions for Installation and Usage

### Installation

1. **Preparation:** Ensure that the firearm is unloaded and pointed in a safe direction.
2. **Attach the Mount:**
  - Align the mount with the Picatinny rail on your firearm.
  - Securely fasten the mount using the quick release mechanism or fixed mounting, depending on your preference.
3. **Adjust the Height and Position:**
  - Adjust the height, position, and ring distances according to your shooting needs.
  - Ensure that all adjustments are securely tightened.

### Usage

1. **Check Alignment:** Use the integrated bubble level to confirm that the mount is level before shooting.
2. **Regular Inspections:** Before each shooting session, inspect the mount to ensure it is securely attached and free from damage.
3. **Shooting:** Always follow safe shooting practices and ensure the firearm is handled responsibly.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer usable, ensure it is disposed of in a way that prevents environmental harm.

## **Contact Information for Further Support**

For any questions or concerns regarding the SCHMEISSER USMSCOPE MOUNT 30MM, please refer to the manufacturer's website or contact the retailer from whom you purchased the product.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using the SCHMEISSER USMSCOPE MOUNT 30MM.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)