

# **Lok 45 70 Govt. Cartridge Holder Ranger Point Store - M-LOK**

## **45-70 cartridge holder | 450M Cartridge Quiver Six Rounds | 45 70 Ammo Holder**

[Shooting Accessories](#) > [Speedloaders & Accessories](#) > [Extra Round Holders](#)

M-LOK 45-70 Cartridge Holder The M-LOK 45-70 cartridge holder holds six cartridges for fast reloading and perfectly complements our popular M-LOK forends or buttstocks (compatible with any other M-LOK forend on the market).

Holds six cartridges in calibre 45-70 or 450 Marlin Made from robust 6061 aluminium with Type III hard anodising Proprietary O-ring retention system for secure retention and vibration protection M-LOK mounting points for flexible mounting options Package includes a cartridge case with O-rings installed, 2 M-LOK T-nuts and 2 screws

NO IMAGE  
AVAILABLE

### **Attributes**

- Name: [M-LOK 45-70 cartridge holder | 450M Cartridge Quiver Six Rounds | 45 70 Ammo Holder](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014866
- Mfr. No.: 1300
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 101.6mm
- Shipping length: 152.4mm
- UPC: 850068664955

# Table of Contents

- Startpage
- Safety Instruction Guide for MLOK 4570 Cartridge Holder
- About Us

# Safety Instruction Guide for MLOK 4570 Cartridge Holder

## Introduction

Thank you for choosing the MLOK 4570 Cartridge Holder from Ranger Point Store. This product is designed for secure storage and quick access to your cartridges. To ensure safe and effective use, please read this safety instruction guide carefully.

## General Safety Guidelines

- Ensure the product is used only for its intended purpose as a cartridge holder.
- Regularly inspect the cartridge holder for any signs of wear or damage.
- Keep this product out of reach of children and unauthorized users.
- Always handle ammunition responsibly and in accordance with local laws and regulations.
- Be aware of your surroundings when using the cartridge holder in the field.

## Specific Safety Precautions for Use

- Do not overload the cartridge holder. It is designed to hold a maximum of six cartridges.
- Ensure that cartridges are properly seated in the holder to prevent accidental dislodging.
- Avoid exposing the cartridge holder to extreme temperatures or harsh chemicals to maintain its integrity.
- If you notice any unusual sounds or movements while using the cartridge holder, stop using it immediately and inspect for damage.

## Instructions for Installation and Usage

### 1. Installation:

- Identify the location on your MLOK compatible forend or buttstock where you wish to mount the cartridge holder.
- Use the provided MLOK Tnuts and screws to securely attach the cartridge holder to the mounting points.
- Ensure that the holder is firmly attached and does not move when pulled.

### 2. Usage:

- Load the cartridge holder with up to six cartridges of calibre 4570 or 450 Marlin.
- Check that the Oring retention system is functioning properly for secure retention.
- When ready to use, remove cartridges from the holder with care, ensuring that you maintain control over the ammunition.

## Disposal Instructions

- When the cartridge holder reaches the end of its life or is no longer needed, dispose of it in accordance with local regulations.
- If the product is damaged, do not attempt to repair it; instead, dispose of it properly to avoid any safety hazards.

## Contact Information for Further Support

For any questions or concerns regarding the MLOK 4570 Cartridge Holder, please refer to the manufacturer's

contact information provided on the product packaging or visit the Ranger Point Store website.

By following these safety instructions, you can ensure a safe and effective experience with your MLOK 4570 Cartridge Holder. Thank you for your attention to safety!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)